

Lectures on Evolution

Thomas Henry Huxley

The Project Gutenberg Etext of Lectures on Evolution, by Huxley
This is Essay #3 from "Science and Hebrew Tradition"

Copyright laws are changing all over the world, be sure to check
the copyright laws for your country before posting these files!!

Please take a look at the important information in this header.
We encourage you to keep this file on your own disk, keeping an
electronic path open for the next readers. Do not remove this.

It must legally be the first thing seen when opening the book.
In fact, our legal advisors said we can't even change margins.

Welcome To The World of Free Plain Vanilla Electronic Texts

Etexts Readable By Both Humans and By Computers, Since 1971

These Etexts Prepared By Hundreds of Volunteers and Donations

Information on contacting Project Gutenberg to get Etexts, and
further information is included below. We need your donations.

Title: Lectures on Evolution

Title: This is Essay #3 from "Science and Hebrew Tradition"

Author: Thomas Henry Huxley

May, 2001 [Etext #2629]

The Project Gutenberg Etext of Lectures on Evolution, by Huxley

Corrected EDITIONS of our etexts get a new NUMBER, 3saht11.txt
VERSIONS based on separate sources get new LETTER, 3saht10a.txt

Processed by D.R. Thompson <drthom@ihug.co.nz>

Project Gutenberg Etexts are usually created from multiple editions,
all of which are in the Public Domain in the United States, unless a
copyright notice is included. Therefore, we usually do NOT keep any
of these books in compliance with any particular paper edition.

We are now trying to release all our books one month in advance
of the official release dates, leaving time for better editing.

Please note: neither this list nor its contents are final till
midnight of the last day of the month of any such announcement.
The official release date of all Project Gutenberg Etexts is at
Midnight, Central Time, of the last day of the stated month. A
preliminary version may often be posted for suggestion, comment

Livros Grátis

<http://www.livrosgratis.com.br>

Milhares de livros grátis para download.

and editing by those who wish to do so. To be sure you have an up to date first edition [xxxxx10x.xxx] please check file sizes in the first week of the next month. Since our ftp program has a bug in it that scrambles the date [tried to fix and failed] a look at the file size will have to do, but we will try to see a new copy has at least one byte more or less.

Information about Project Gutenberg (one page)

We produce about two million dollars for each hour we work. The time it takes us, a rather conservative estimate, is fifty hours to get any etext selected, entered, proofread, edited, copyright searched and analyzed, the copyright letters written, etc. This projected audience is one hundred million readers. If our value per text is nominally estimated at one dollar then we produce \$2 million dollars per hour this year as we release thirty-six text files per month, or 432 more Etexts in 1999 for a total of 2000+ If these reach just 10% of the computerized population, then the total should reach over 200 billion Etexts given away this year.

The Goal of Project Gutenberg is to Give Away One Trillion Etext Files by December 31, 2001. [10,000 x 100,000,000 = 1 Trillion] This is ten thousand titles each to one hundred million readers, which is only ~5% of the present number of computer users.

At our revised rates of production, we will reach only one-third of that goal by the end of 2001, or about 3,333 Etexts unless we manage to get some real funding; currently our funding is mostly from Michael Hart's salary at Carnegie-Mellon University, and an assortment of sporadic gifts; this salary is only good for a few more years, so we are looking for something to replace it, as we don't want Project Gutenberg to be so dependent on one person.

We need your donations more than ever!

All donations should be made to "Project Gutenberg/CMU": and are tax deductible to the extent allowable by law. (CMU = Carnegie-Mellon University).

For these and other matters, please mail to:

Project Gutenberg
P. O. Box 2782
Champaign, IL 61825

When all other email fails. . .try our Executive Director:
Michael S. Hart <hart@pobox.com>
hart@pobox.com forwards to hart@prairienet.org and archive.org
if your mail bounces from archive.org, I will still see it, if
it bounces from prairienet.org, better resend later on. . . .

We would prefer to send you this information by email.

To access Project Gutenberg etexts, use any Web browser

to view <http://promo.net/pg>. This site lists Etexts by author and by title, and includes information about how to get involved with Project Gutenberg. You could also download our past Newsletters, or subscribe here. This is one of our major sites, please email hart@pobox.com, for a more complete list of our various sites.

To go directly to the etext collections, use FTP or any Web browser to visit a Project Gutenberg mirror (mirror sites are available on 7 continents; mirrors are listed at <http://promo.net/pg>).

Mac users, do NOT point and click, typing works better.

Example FTP session:

```
ftp metalab.unc.edu
login: anonymous
password: your@login
cd pub/docs/books/gutenberg
cd etext90 through etext99 or etext00 through etext01, etc.
dir [to see files]
get or mget [to get files. . .set bin for zip files]
GET GUTINDEX.?? [to get a year's listing of books, e.g., GUTINDEX.99]
GET GUTINDEX.ALL [to get a listing of ALL books]
```

Information prepared by the Project Gutenberg legal advisor

(Three Pages)

START**THE SMALL PRINT!**FOR PUBLIC DOMAIN ETEXTS**START

Why is this "Small Print!" statement here? You know: lawyers. They tell us you might sue us if there is something wrong with your copy of this etext, even if you got it for free from someone other than us, and even if what's wrong is not our fault. So, among other things, this "Small Print!" statement disclaims most of our liability to you. It also tells you how you can distribute copies of this etext if you want to.

***BEFORE!* YOU USE OR READ THIS ETEXT**

By using or reading any part of this PROJECT GUTENBERG-tm etext, you indicate that you understand, agree to and accept this "Small Print!" statement. If you do not, you can receive a refund of the money (if any) you paid for this etext by sending a request within 30 days of receiving it to the person you got it from. If you received this etext on a physical medium (such as a disk), you must return it with your request.

ABOUT PROJECT GUTENBERG-TM ETEXTS

This PROJECT GUTENBERG-tm etext, like most PROJECT GUTENBERG-tm etexts, is a "public domain" work distributed by Professor Michael S. Hart through the Project Gutenberg Association at Carnegie-Mellon University (the "Project"). Among other things, this means that no one owns a United States copyright on or for this work, so the Project (and you!) can copy and

distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth below, apply if you wish to copy and distribute this etext under the Project's "PROJECT GUTENBERG" trademark.

To create these etexts, the Project expends considerable efforts to identify, transcribe and proofread public domain works. Despite these efforts, the Project's etexts and any medium they may be on may contain "Defects". Among other things, Defects may take the form of incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other etext medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

LIMITED WARRANTY; DISCLAIMER OF DAMAGES

But for the "Right of Replacement or Refund" described below, [1] the Project (and any other party you may receive this etext from as a PROJECT GUTENBERG-tm etext) disclaims all liability to you for damages, costs and expenses, including legal fees, and [2] YOU HAVE NO REMEDIES FOR NEGLIGENCE OR UNDER STRICT LIABILITY, OR FOR BREACH OF WARRANTY OR CONTRACT, INCLUDING BUT NOT LIMITED TO INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES, EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

If you discover a Defect in this etext within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending an explanatory note within that time to the person you received it from. If you received it on a physical medium, you must return it with your note, and such person may choose to alternatively give you a replacement copy. If you received it electronically, such person may choose to alternatively give you a second opportunity to receive it electronically.

THIS ETEXT IS OTHERWISE PROVIDED TO YOU "AS-IS". NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, ARE MADE TO YOU AS TO THE ETEXT OR ANY MEDIUM IT MAY BE ON, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimers of implied warranties or the exclusion or limitation of consequential damages, so the above disclaimers and exclusions may not apply to you, and you may have other legal rights.

INDEMNITY

You will indemnify and hold the Project, its directors, officers, members and agents harmless from all liability, cost and expense, including legal fees, that arise directly or indirectly from any of the following that you do or cause: [1] distribution of this etext, [2] alteration, modification, or addition to the etext, or [3] any Defect.

DISTRIBUTION UNDER "PROJECT GUTENBERG-tm"

You may distribute copies of this etext electronically, or by disk, book or any other medium if you either delete this

"Small Print!" and all other references to Project Gutenberg,
or:

[1] Only give exact copies of it. Among other things, this requires that you do not remove, alter or modify the etext or this "small print!" statement. You may however, if you wish, distribute this etext in machine readable binary, compressed, mark-up, or proprietary form, including any form resulting from conversion by word processing or hypertext software, but only so long as *EITHER*:

[*] The etext, when displayed, is clearly readable, and does *not* contain characters other than those intended by the author of the work, although tilde (~), asterisk (*) and underline (_) characters may be used to convey punctuation intended by the author, and additional characters may be used to indicate hypertext links; OR

[*] The etext may be readily converted by the reader at no expense into plain ASCII, EBCDIC or equivalent form by the program that displays the etext (as is the case, for instance, with most word processors); OR

[*] You provide, or agree to also provide on request at no additional cost, fee or expense, a copy of the etext in its original plain ASCII form (or in EBCDIC or other equivalent proprietary form).

[2] Honor the etext refund and replacement provisions of this "Small Print!" statement.

[3] Pay a trademark license fee to the Project of 20% of the net profits you derive calculated using the method you already use to calculate your applicable taxes. If you don't derive profits, no royalty is due. Royalties are payable to "Project Gutenberg Association/Carnegie-Mellon University" within the 60 days following each date you prepare (or were legally required to prepare) your annual (or equivalent periodic) tax return.

WHAT IF YOU *WANT* TO SEND MONEY EVEN IF YOU DON'T HAVE TO?
The Project gratefully accepts contributions in money, time, scanning machines, OCR software, public domain etexts, royalty free copyright licenses, and every other sort of contribution you can think of. Money should be paid to "Project Gutenberg Association / Carnegie-Mellon University".

We are planning on making some changes in our donation structure in 2000, so you might want to email me, hart@pobox.com beforehand.

*END THE SMALL PRINT! FOR PUBLIC DOMAIN ETEXTS*Ver.04.29.93*END*

Processed by D.R. Thompson <drthom@ihug.co.nz>

Lectures on Evolution
This is Essay #3 from "Science and Hebrew Tradition"
by Thomas Henry Huxley

I THE THREE HYPOTHESES RESPECTING THE HISTORY OF NATURE

We live in and form part of a system of things of immense diversity and perplexity, which we call Nature; and it is a matter of the deepest interest to all of us that we should form just conceptions of the constitution of that system and of its past history. With relation to this universe, man is, in extent, little more than a mathematical point; in duration but a fleeting shadow; he is a mere reed shaken in the winds of force. But as Pascal long ago remarked, although a mere reed, he is a thinking reed; and in virtue of that wonderful capacity of thought, he has the power of framing for himself a symbolic conception of the universe, which, although doubtless highly imperfect and inadequate as a picture of the great whole, is yet sufficient to serve him as a chart for the guidance of his practical affairs. It has taken long ages of toilsome and often fruitless labour to enable man to look steadily at the shifting scenes of the phantasmagoria of Nature, to notice what is fixed among her fluctuations, and what is regular among her apparent irregularities; and it is only comparatively lately, within the last few centuries, that the conception of a universal order and of a definite course of things, which we term the course of Nature, has emerged.

But, once originated, the conception of the constancy of the order of Nature has become the dominant idea of modern thought. To any person who is familiar with the facts upon which that conception is based, and is competent to estimate their significance, it has ceased to be conceivable that chance should have any place in the universe, or that events should depend upon any but the natural sequence of cause and effect. We have come to look upon the present as the child of the past and as the parent of the future; and, as we have excluded chance from a place in the universe, so we ignore, even as a possibility, the notion of any interference with the order of Nature. Whatever may be men's speculative doctrines, it is quite certain that every intelligent person guides his life and risks his fortune upon the belief that the order of Nature is constant, and that the chain of natural causation is never broken.

In fact, no belief which we entertain has so complete a logical basis as that to which I have just referred. It tacitly underlies every process of reasoning; it is the foundation of every act of the will. It is based upon the broadest induction, and it is verified by the most constant, regular, and universal of deductive processes. But we must recollect that any human belief, however broad its basis, however defensible it may seem, is, after all, only a probable belief, and that our widest and safest generalisations are simply statements of the highest degree of probability. Though we are quite clear about the constancy of the order of Nature, at the present time, and in the present state of things, it by no means necessarily follows that we are justified in expanding this generalisation into the infinite past, and in denying, absolutely, that there may have been a time when Nature did not follow a fixed order, when the relations of cause and effect were not definite, and when extra-natural agencies interfered with the general course of Nature. Cautious men will allow that a universe so different from that which we know may have existed; just as a very candid thinker may admit that a world in which two and two do not make four, and in which two straight lines do inclose a space, may exist. But the same caution which forces the admission of such possibilities demands a great deal of evidence before it recognises them to be anything more substantial. And when it is asserted that, so many thousand years ago, events occurred in a manner utterly foreign to and inconsistent with the existing laws of Nature, men, who without being particularly cautious, are simply honest thinkers, unwilling to deceive themselves or delude others, ask for trustworthy evidence of the fact.

Did things so happen or did they not? This is a historical question, and one the answer to which must be sought in the same way as the solution of any other historical problem.

So far as I know, there are only three hypotheses which ever have been entertained, or which well can be entertained, respecting the past history of Nature. I will, in the first place, state the hypotheses, and then I will consider what evidence bearing upon them is in our possession, and by what light of criticism that evidence is to be interpreted.

Upon the first hypothesis, the assumption is, that phenomena of Nature similar to those exhibited by the present world have always existed; in other words, that the universe has existed, from all eternity, in what may be broadly termed its present condition.

The second hypothesis is that the present state of things has had only a limited duration; and that, at some period in the past, a condition of the world, essentially similar to that which we now know, came into existence, without any precedent condition from which it could have naturally proceeded. The assumption that successive states of Nature have arisen, each without any relation of natural causation to an antecedent state, is a mere modification of this second hypothesis.

The third hypothesis also assumes that the present state of things has had but a limited duration; but it supposes that this

state has been evolved by a natural process from an antecedent state, and that from another, and so on; and, on this hypothesis, the attempt to assign any limit to the series of past changes is, usually, given up.

It is so needful to form clear and distinct notions of what is really meant by each of these hypotheses that I will ask you to imagine what, according to each, would have been visible to a spectator of the events which constitute the history of the earth. On the first hypothesis, however far back in time that spectator might be placed, he would see a world essentially, though perhaps not in all its details, similar to that which now exists. The animals which existed would be the ancestors of those which now live, and similar to them; the plants, in like manner, would be such as we know; and the mountains, plains, and waters would foreshadow the salient features of our present land and water. This view was held more or less distinctly, sometimes combined with the notion of recurrent cycles of change, in ancient times; and its influence has been felt down to the present day. It is worthy of remark that it is a hypothesis which is not inconsistent with the doctrine of Uniformitarianism, with which geologists are familiar. That doctrine was held by Hutton, and in his earlier days by Lyell. Hutton was struck by the demonstration of astronomers that the perturbations of the planetary bodies, however great they may be, yet sooner or later right themselves; and that the solar system possesses a self-adjusting power by which these aberrations are all brought back to a mean condition. Hutton imagined that the like might be true of terrestrial changes; although no one recognised more clearly than he the fact that the dry land is being constantly washed down by rain and rivers and deposited in the sea; and that thus, in a longer or shorter time, the inequalities of the earth's surface must be levelled, and its high lands brought down to the ocean. But, taking into account the internal forces of the earth, which, upheaving the sea-bottom give rise to new land, he thought that these operations of degradation and elevation might compensate each other; and that thus, for any assignable time, the general features of our planet might remain what they are. And inasmuch as, under these circumstances, there need be no limit to the propagation of animals and plants, it is clear that the consistent working out of the uniformitarian idea might lead to the conception of the eternity of the world. Not that I mean to say that either Hutton or Lyell held this conception--assuredly not; they would have been the first to repudiate it. Nevertheless, the logical development of some of their arguments tends directly towards this hypothesis.

The second hypothesis supposes that the present order of things, at some no very remote time, had a sudden origin, and that the world, such as it now is, had chaos for its phenomenal antecedent. That is the doctrine which you will find stated most fully and clearly in the immortal poem of John Milton--the English *Divina Commedia*--"Paradise Lost." I believe it is largely to the influence of that remarkable work, combined with the daily teachings to which we have all listened in our childhood, that this hypothesis owes its general wide diffusion as one of the current beliefs of English-speaking people. If you

turn to the seventh book of "Paradise Lost," you will find there stated the hypothesis to which I refer, which is briefly this: That this visible universe of ours came into existence at no great distance of time from the present; and that the parts of which it is composed made their appearance, in a certain definite order, in the space of six natural days, in such a manner that, on the first of these days, light appeared; that, on the second, the firmament, or sky, separated the waters above, from the waters beneath the firmament; that, on the third day, the waters drew away from the dry land, and upon it a varied vegetable life, similar to that which now exists, made its appearance; that the fourth day was signalled by the apparition of the sun, the stars, the moon, and the planets; that, on the fifth day, aquatic animals originated within the waters; that, on the sixth day, the earth gave rise to our four-footed terrestrial creatures, and to all varieties of terrestrial animals except birds, which had appeared on the preceding day; and, finally, that man appeared upon the earth, and the emergence of the universe from chaos was finished. Milton tells us, without the least ambiguity, what a spectator of these marvellous occurrences would have witnessed. I doubt not that his poem is familiar to all of you, but I should like to recall one passage to your minds, in order that I may be justified in what I have said regarding the perfectly concrete, definite, picture of the origin of the animal world which Milton draws. He says:--

"The sixth, and of creation last, arose
With evening harp and matin, when God said,
'Let the earth bring forth soul living in her kind,
Cattle and creeping things, and beast of the earth.
Each in their kind!' The earth obeyed, and, straight
Opening her fertile womb, teemed at a birth
Innumerable living creatures, perfect forms,
Limbed and full-grown. Out of the ground uprose,
As from his lair, the wild beast, where he wons
In forest wild, in thicket, brake, or den;
Among the trees in pairs they rose, they walked;
The cattle in the fields and meadows green;
Those rare and solitary; these in flocks
Pasturing at once, and in broad herds upsprung.
The grassy clods now calved; now half appears
The tawny lion, pawing to get free
His hinder parts--then springs, as broke from bonds,
And rampant shakes his brinded mane; the ounce,
The libbard, and the tiger, as the mole
Rising, the crumbled earth above them threw
In hillocks; the swift stag from underground
Bore up his branching head; scarce from his mould
Behemoth, biggest born of earth, upheaved
His vastness; fleeced the flocks and bleating rose
As plants; ambiguous between sea and land,
The river-horse and scaly crocodile.
At once came forth whatever creeps the ground,
Insect or worm."

There is no doubt as to the meaning of this statement, nor as to what a man of Milton's genius expected would have been actually

visible to an eye-witness of this mode of origination of living things.

The third hypothesis, or the hypothesis of evolution, supposes that, at any comparatively late period of past time, our imaginary spectator would meet with a state of things very similar to that which now obtains; but that the likeness of the past to the present would gradually become less and less, in proportion to the remoteness of his period of observation from the present day; that the existing distribution of mountains and plains, of rivers and seas, would show itself to be the product of a slow process of natural change operating upon more and more widely different antecedent conditions of the mineral framework of the earth; until, at length, in place of that framework, he would behold only a vast nebulous mass, representing the constituents of the sun and of the planetary bodies. Preceding the forms of life which now exist, our observer would see animals and plants, not identical with them, but like them, increasing their differences with their antiquity and, at the same time, becoming simpler and simpler; until, finally, the world of life would present nothing but that undifferentiated protoplasmic matter which, so far as our present knowledge goes, is the common foundation of all vital activity.

The hypothesis of evolution supposes that in all this vast progression there would be no breach of continuity, no point at which we could say "This is a natural process," and "This is not a natural process;" but that the whole might be compared to that wonderful operation of development which may be seen going on every day under our eyes, in virtue of which there arises, out of the semi-fluid comparatively homogeneous substance which we call an egg, the complicated organisation of one of the higher animals. That, in a few words, is what is meant by the hypothesis of evolution.

I have already suggested that, in dealing with these three hypotheses, in endeavouring to form a judgment as to which of them is the more worthy of belief, or whether none is worthy of belief--in which case our condition of mind should be that suspension of judgment which is so difficult to all but trained intellects--we should be indifferent to all *a priori* considerations. The question is a question of historical fact. The universe has come into existence somehow or other, and the problem is, whether it came into existence in one fashion, or whether it came into existence in another; and, as an essential preliminary to further discussion, permit me to say two or three words as to the nature and the kinds of historical evidence.

The evidence as to the occurrence of any event in past time may be ranged under two heads which, for convenience' sake, I will speak of as testimonial evidence and as circumstantial evidence. By testimonial evidence I mean human testimony; and by circumstantial evidence I mean evidence which is not human testimony. Let me illustrate by a familiar example what I understand by these two kinds of evidence, and what is to be said respecting their value.

Suppose that a man tells you that he saw a person strike another

and kill him; that is testimonial evidence of the fact of murder. But it is possible to have circumstantial evidence of the fact of murder; that is to say, you may find a man dying with a wound upon his head having exactly the form and character of the wound which is made by an axe, and, with due care in taking surrounding circumstances into account, you may conclude with the utmost certainty that the man has been murdered; that his death is the consequence of a blow inflicted by another man with that implement. We are very much in the habit of considering circumstantial evidence as of less value than testimonial evidence, and it may be that, where the circumstances are not perfectly clear and intelligible, it is a dangerous and unsafe kind of evidence; but it must not be forgotten that, in many cases, circumstantial is quite as conclusive as testimonial evidence, and that, not unfrequently, it is a great deal weightier than testimonial evidence.

For example, take the case to which I referred just now.

The circumstantial evidence may be better and more convincing than the testimonial evidence; for it may be impossible, under the conditions that I have defined, to suppose that the man met his death from any cause but the violent blow of an axe wielded by another man. The circumstantial evidence in favour of a murder having been committed, in that case, is as complete and as convincing as evidence can be. It is evidence which is open to no doubt and to no falsification. But the testimony of a witness is open to multitudinous doubts. He may have been mistaken. He may have been actuated by malice. It has constantly happened that even an accurate man has declared that a thing has happened in this, that, or the other way, when a careful analysis of the circumstantial evidence has shown that it did not happen in that way, but in some other way.

We may now consider the evidence in favour of or against the three hypotheses. Let me first direct your attention to what is to be said about the hypothesis of the eternity of the state of things in which we now live. What will first strike you is, that it is a hypothesis which, whether true or false, is not capable of verification by any evidence. For, in order to obtain either circumstantial or testimonial evidence sufficient to prove the eternity of duration of the present state of nature, you must have an eternity of witnesses or an infinity of circumstances, and neither of these is attainable. It is utterly impossible that such evidence should be carried beyond a certain point of time; and all that could be said, at most, would be, that so far as the evidence could be traced, there was nothing to contradict the hypothesis. But when you look, not to the testimonial evidence--which, considering the relative insignificance of the antiquity of human records, might not be good for much in this case--but to the circumstantial evidence, then you find that this hypothesis is absolutely incompatible with such evidence as we have; which is of so plain and so simple a character that it is impossible in any way to escape from the conclusions which it forces upon us.

You are, doubtless, all aware that the outer substance of the earth, which alone is accessible to direct observation, is not of a homogeneous character, but that it is made up of a number of layers or strata, the titles of the principal groups of which

are placed upon the accompanying diagram. Each of these groups represents a number of beds of sand, of stone, of clay, of slate, and of various other materials.

On careful examination, it is found that the materials of which each of these layers of more or less hard rock are composed are, for the most part, of the same nature as those which are at present being formed under known conditions on the surface of the earth. For example, the chalk, which constitutes a great part of the Cretaceous formation in some parts of the world, is practically identical in its physical and chemical characters with a substance which is now being formed at the bottom of the Atlantic Ocean, and covers an enormous area; other beds of rock are comparable with the sands which are being formed upon sea-shores, packed together, and so on. Thus, omitting rocks of igneous origin, it is demonstrable that all these beds of stone, of which a total of not less than seventy thousand feet is known, have been formed by natural agencies, either out of the waste and washing of the dry land, or else by the accumulation of the exuviae of plants and animals. Many of these strata are full of such exuviae--the so-called "fossils." Remains of thousands of species of animals and plants, as perfectly recognisable as those of existing forms of life which you meet with in museums, or as the shells which you pick up upon the sea-beach, have been imbedded in the ancient sands, or muds, or limestones, just as they are being imbedded now, in sandy, or clayey, or calcareous subaqueous deposits. They furnish us with a record, the general nature of which cannot be misinterpreted, of the kinds of things that have lived upon the surface of the earth during the time that is registered by this great thickness of stratified rocks. But even a superficial study of these fossils shows us that the animals and plants which live at the present time have had only a temporary duration; for the remains of such modern forms of life are met with, for the most part, only in the uppermost or latest tertiaries, and their number rapidly diminishes in the lower deposits of that epoch. In the older tertiaries, the places of existing animals and plants are taken by other forms, as numerous and diversified as those which live now in the same localities, but more or less different from them; in the mesozoic rocks, these are replaced by others yet more divergent from modern types; and, in the paleozoic formations, the contrast is still more marked. Thus the circumstantial evidence absolutely negatives the conception of the eternity of the present condition of things. We can say, with certainty, that the present condition of things has existed for a comparatively short period; and that, so far as animal and vegetable nature are concerned, it has been preceded by a different condition. We can pursue this evidence until we reach the lowest of the stratified rocks, in which we lose the indications of life altogether. The hypothesis of the eternity of the present state of nature may therefore be put out of court.

Fig. 1.--Ideal Section of the Crust of the Earth.

We now come to what I will term Milton's hypothesis--the

hypothesis that the present condition of things has endured for a comparatively short time; and, at the commencement of that time, came into existence within the course of six days. I doubt not that it may have excited some surprise in your minds that I should have spoken of this as Milton's hypothesis, rather than that I should have chosen the terms which are more customary, such as "the doctrine of creation," or "the Biblical doctrine," or "the doctrine of Moses," all of which denominations, as applied to the hypothesis to which I have just referred, are certainly much more familiar to you than the title of the Miltonic hypothesis. But I have had what I cannot but think are very weighty reasons for taking the course which I have pursued. In the first place, I have discarded the title of the "doctrine of creation," because my present business is not with the question why the objects which constitute Nature came into existence, but when they came into existence, and in what order. This is as strictly a historical question as the question when the Angles and the Jutes invaded England, and whether they preceded or followed the Romans. But the question about creation is a philosophical problem, and one which cannot be solved, or even approached, by the historical method. What we want to learn is, whether the facts, so far as they are known, afford evidence that things arose in the way described by Milton, or whether they do not; and, when that question is settled it will be time enough to inquire into the causes of their origination.

In the second place, I have not spoken of this doctrine as the Biblical doctrine. It is quite true that persons as diverse in their general views as Milton the Protestant and the celebrated Jesuit Father Suarez, each put upon the first chapter of Genesis the interpretation embodied in Milton's poem. It is quite true that this interpretation is that which has been instilled into every one of us in our childhood; but I do not for one moment venture to say that it can properly be called the Biblical doctrine. It is not my business, and does not lie within my competency, to say what the Hebrew text does, and what it does not signify; moreover, were I to affirm that this is the Biblical doctrine, I should be met by the authority of many eminent scholars, to say nothing of men of science, who, at various times, have absolutely denied that any such doctrine is to be found in Genesis. If we are to listen to many expositors of no mean authority, we must believe that what seems so clearly defined in Genesis--as if very great pains had been taken that there should be no possibility of mistake--is not the meaning of the text at all. The account is divided into periods that we may make just as long or as short as convenience requires. We are also to understand that it is consistent with the original text to believe that the most complex plants and animals may have been evolved by natural processes, lasting for millions of years, out of structureless rudiments. A person who is not a Hebrew scholar can only stand aside and admire the marvellous flexibility of a language which admits of such diverse interpretations. But assuredly, in the face of such contradictions of authority upon matters respecting which he is incompetent to form any judgment, he will abstain, as I do, from giving any opinion.

In the third place, I have carefully abstained from speaking of

this as the Mosaic doctrine, because we are now assured upon the authority of the highest critics and even of dignitaries of the Church, that there is no evidence that Moses wrote the Book of Genesis, or knew anything about it. You will understand that I give no judgment--it would be an impertinence upon my part to volunteer even a suggestion--upon such a subject. But, that being the state of opinion among the scholars and the clergy, it is well for the unlearned in Hebrew lore, and for the laity, to avoid entangling themselves in such a vexed question. Happily, Milton leaves us no excuse for doubting what he means, and I shall therefore be safe in speaking of the opinion in question as the Miltonic hypothesis.

Now we have to test that hypothesis. For my part, I have no prejudice one way or the other. If there is evidence in favour of this view, I am burdened by no theoretical difficulties in the way of accepting it; but there must be evidence. Scientific men get an awkward habit--no, I won't call it that, for it is a valuable habit--of believing nothing unless there is evidence for it; and they have a way of looking upon belief which is not based upon evidence, not only as illogical, but as immoral. We will, if you please, test this view by the circumstantial evidence alone; for, from what I have said, you will understand that I do not propose to discuss the question of what testimonial evidence is to be adduced in favour of it. If those whose business it is to judge are not at one as to the authenticity of the only evidence of that kind which is offered, nor as to the facts to which it bears witness, the discussion of such evidence is superfluous.

But I may be permitted to regret this necessity of rejecting the testimonial evidence the less, because the examination of the circumstantial evidence leads to the conclusion, not only that it is incompetent to justify the hypothesis, but that, so far as it goes, it is contrary to the hypothesis.

The considerations upon which I base this conclusion are of the simplest possible character. The Miltonic hypothesis contains assertions of a very definite character relating to the succession of living forms. It is stated that plants, for example, made their appearance upon the third day, and not before. And you will understand that what the poet means by plants are such plants as now live, the ancestors, in the ordinary way of propagation of like by like, of the trees and shrubs which flourish in the present world. It must needs be so; for, if they were different, either the existing plants have been the result of a separate origination since that described by Milton, of which we have no record, nor any ground for supposition that such an occurrence has taken place; or else they have arisen by a process of evolution from the original stocks.

In the second place, it is clear that there was no animal life before the fifth day, and that, on the fifth day, aquatic animals and birds appeared. And it is further clear that terrestrial living things, other than birds, made their appearance upon the sixth day and not before. Hence, it follows that, if, in the large mass of circumstantial evidence as to

what really has happened in the past history of the globe we find indications of the existence of terrestrial animals, other than birds, at a certain period, it is perfectly certain that all that has taken place, since that time, must be referred to the sixth day.

In the great Carboniferous formation, whence America derives so vast a proportion of her actual and potential wealth, in the beds of coal which have been formed from the vegetation of that period, we find abundant evidence of the existence of terrestrial animals. They have been described, not only by European but by your own naturalists. There are to be found numerous insects allied to our cockroaches. There are to be found spiders and scorpions of large size, the latter so similar to existing scorpions that it requires the practised eye of the naturalist to distinguish them. Inasmuch as these animals can be proved to have been alive in the Carboniferous epoch, it is perfectly clear that, if the Miltonic account is to be accepted, the huge mass of rocks extending from the middle of the Palaeozoic formations to the uppermost members of the series, must belong to the day which is termed by Milton the sixth. But, further, it is expressly stated that aquatic animals took their origin on the fifth day, and not before; hence, all formations in which remains of aquatic animals can be proved to exist, and which therefore testify that such animals lived at the time when these formations were in course of deposition, must have been deposited during or since the period which Milton speaks of as the fifth day. But there is absolutely no fossiliferous formation in which the remains of aquatic animals are absent. The oldest fossils in the Silurian rocks are exuviae of marine animals; and if the view which is entertained by Principal Dawson and Dr. Carpenter respecting the nature of the *Eozoon* be well-founded, aquatic animals existed at a period as far antecedent to the deposition of the coal as the coal is from us; inasmuch as the *Eozoon* is met with in those Laurentian strata which lie at the bottom of the series of stratified rocks. Hence it follows, plainly enough, that the whole series of stratified rocks, if they are to be brought into harmony with Milton, must be referred to the fifth and sixth days, and that we cannot hope to find the slightest trace of the products of the earlier days in the geological record. When we consider these simple facts, we see how absolutely futile are the attempts that have been made to draw a parallel between the story told by so much of the crust of the earth as is known to us and the story which Milton tells. The whole series of fossiliferous stratified rocks must be referred to the last two days; and neither the Carboniferous, nor any other, formation can afford evidence of the work of the third day.

Not only is there this objection to any attempt to establish a harmony between the Miltonic account and the facts recorded in the fossiliferous rocks, but there is a further difficulty. According to the Miltonic account, the order in which animals should have made their appearance in the stratified rocks would be thus: Fishes, including the great whales, and birds; after them, all varieties of terrestrial animals except birds. Nothing could be further from the facts as we find them; we know of not the slightest evidence of the existence of birds before

the Jurassic, or perhaps the Triassic, formation; while terrestrial animals, as we have just seen, occur in the Carboniferous rocks.

If there were any harmony between the Miltonic account and the circumstantial evidence, we ought to have abundant evidence of the existence of birds in the Carboniferous, the Devonian, and the Silurian rocks. I need hardly say that this is not the case, and that not a trace of birds makes its appearance until the far later period which I have mentioned.

And again, if it be true that all varieties of fishes and the great whales, and the like, made their appearance on the fifth day, we ought to find the remains of these animals in the older rocks--in those which were deposited before the Carboniferous epoch. Fishes we do find, in considerable number and variety; but the great whales are absent, and the fishes are not such as now live. Not one solitary species of fish now in existence is to be found in the Devonian or Silurian formations. Hence we are introduced afresh to the dilemma which I have already placed before you: either the animals which came into existence on the fifth day were not such as those which are found at present, are not the direct and immediate ancestors of those which now exist; in which case, either fresh creations of which nothing is said, or a process of evolution, must have occurred; or else the whole story must be given up, as not only devoid of any circumstantial evidence, but contrary to such evidence as exists.

I placed before you in a few words, some little time ago, a statement of the sum and substance of Milton's hypothesis. Let me now try to state as briefly, the effect of the circumstantial evidence bearing upon the past history of the earth which is furnished, without the possibility of mistake, with no chance of error as to its chief features, by the stratified rocks. What we find is, that the great series of formations represents a period of time of which our human chronologies hardly afford us a unit of measure. I will not pretend to say how we ought to estimate this time, in millions or in billions of years. For my purpose, the determination of its absolute duration is wholly unessential. But that the time was enormous there can be no question.

It results from the simplest methods of interpretation, that leaving out of view certain patches of metamorphosed rocks, and certain volcanic products, all that is now dry land has once been at the bottom of the waters. It is perfectly certain that, at a comparatively recent period of the world's history--the Cretaceous epoch--none of the great physical features which at present mark the surface of the globe existed. It is certain that the Rocky Mountains were not. It is certain that the Himalaya Mountains were not. It is certain that the Alps and the Pyrenees had no existence. The evidence is of the plainest possible character and is simply this:--We find raised up on the flanks of these mountains, elevated by the forces of upheaval which have given rise to them, masses of Cretaceous rock which formed the bottom of the sea before those mountains existed. It is therefore clear that the elevatory forces which gave rise to the mountains operated subsequently to the Cretaceous epoch;

and that the mountains themselves are largely made up of the materials deposited in the sea which once occupied their place. As we go back in time, we meet with constant alternations of sea and land, of estuary and open ocean; and, in correspondence with these alternations, we observe the changes in the fauna and flora to which I have referred.

But the inspection of these changes gives us no right to believe that there has been any discontinuity in natural processes. There is no trace of general cataclysms, of universal deluges, or sudden destructions of a whole fauna or flora. The appearances which were formerly interpreted in that way have all been shown to be delusive, as our knowledge has increased and as the blanks which formerly appeared to exist between the different formations have been filled up. That there is no absolute break between formation and formation, that there has been no sudden disappearance of all the forms of life and replacement of them by others, but that changes have gone on slowly and gradually, that one type has died out and another has taken its place, and that thus, by insensible degrees, one fauna has been replaced by another, are conclusions strengthened by constantly increasing evidence. So that within the whole of the immense period indicated by the fossiliferous stratified rocks, there is assuredly not the slightest proof of any break in the uniformity of Nature's operations, no indication that events have followed other than a clear and orderly sequence.

That, I say, is the natural and obvious teaching of the circumstantial evidence contained in the stratified rocks. I leave you to consider how far, by any ingenuity of interpretation, by any stretching of the meaning of language, it can be brought into harmony with the Miltonic hypothesis.

There remains the third hypothesis, that of which I have spoken as the hypothesis of evolution; and I purpose that, in lectures to come, we should discuss it as carefully as we have considered the other two hypotheses. I need not say that it is quite hopeless to look for testimonial evidence of evolution. The very nature of the case precludes the possibility of such evidence, for the human race can no more be expected to testify to its own origin, than a child can be tendered as a witness of its own birth. Our sole inquiry is, what foundation circumstantial evidence lends to the hypothesis, or whether it lends none, or whether it controverts the hypothesis. I shall deal with the matter entirely as a question of history. I shall not indulge in the discussion of any speculative probabilities. I shall not attempt to show that Nature is unintelligible unless we adopt some such hypothesis. For anything I know about the matter, it may be the way of Nature to be unintelligible; she is often puzzling, and I have no reason to suppose that she is bound to fit herself to our notions.

I shall place before you three kinds of evidence entirely based upon what is known of the forms of animal life which are contained in the series of stratified rocks. I shall endeavour to show you that there is one kind of evidence which is neutral, which neither helps evolution nor is inconsistent with it. I shall then bring forward a second kind of evidence which

indicates a strong probability in favour of evolution, but does not prove it; and, lastly, I shall adduce a third kind of evidence which, being as complete as any evidence which we can hope to obtain upon such a subject, and being wholly and strikingly in favour of evolution, may fairly be called demonstrative evidence of its occurrence.

LECTURES ON EVOLUTION

II

THE HYPOTHESIS OF EVOLUTION. THE NEUTRAL AND THE FAVOURABLE EVIDENCE.

In the preceding lecture I pointed out that there are three hypotheses which may be entertained, and which have been entertained, respecting the past history of life upon the globe. According to the first of these hypotheses, living beings, such as now exist, have existed from all eternity upon this earth. We tested that hypothesis by the circumstantial evidence, as I called it, which is furnished by the fossil remains contained in the earth's crust, and we found that it was obviously untenable. I then proceeded to consider the second hypothesis, which I termed the Miltonic hypothesis, not because it is of any particular consequence whether John Milton seriously entertained it or not, but because it is stated in a clear and unmistakable manner in his great poem. I pointed out to you that the evidence at our command as completely and fully negatives that hypothesis as it did the preceding one. And I confess that I had too much respect for your intelligence to think it necessary to add that the negation was equally clear and equally valid, whatever the source from which that hypothesis might be derived, or whatever the authority by which it might be supported. I further stated that, according to the third hypothesis, or that of evolution, the existing state of things is the last term of a long series of states, which, when traced back, would be found to show no interruption and no breach in the continuity of natural causation. I propose, in the present and the following lecture, to test this hypothesis rigorously by the evidence at command, and to inquire how far that evidence can be said to be indifferent to it, how far it can be said to be favourable to it, and, finally, how far it can be said to be demonstrative.

From almost the origin of the discussions about the existing condition of the animal and vegetable worlds and the causes which have determined that condition, an argument has been put forward as an objection to evolution, which we shall have to consider very seriously. It is an argument which was first clearly stated by Cuvier in his criticism of the doctrines propounded by his great contemporary, Lamarck. The French expedition to Egypt had called the attention of learned men to the wonderful store of antiquities in that country, and there had been brought back to France numerous mummified corpses of the animals which the ancient Egyptians revered and preserved, and which, at a reasonable computation, must have lived not less than three or four thousand years before the time at which they were thus brought to light. Cuvier endeavoured to test the

hypothesis that animals have undergone gradual and progressive modifications of structure, by comparing the skeletons and such other parts of the mummies as were in a fitting state of preservation, with the corresponding parts of the representatives of the same species now living in Egypt. He arrived at the conviction that no appreciable change had taken place in these animals in the course of this considerable lapse of time, and the justice of his conclusion is not disputed.

It is obvious that, if it can be proved that animals have endured, without undergoing any demonstrable change of structure, for so long a period as four thousand years, no form of the hypothesis of evolution which assumes that animals undergo a constant and necessary progressive change can be tenable; unless, indeed, it be further assumed that four thousand years is too short a time for the production of a change sufficiently great to be detected.

But it is no less plain that if the process of evolution of animals is not independent of surrounding conditions; if it may be indefinitely hastened or retarded by variations in these conditions; or if evolution is simply a process of accommodation to varying conditions; the argument against the hypothesis of evolution based on the unchanged character of the Egyptian fauna is worthless. For the monuments which are coeval with the mummies testify as strongly to the absence of change in the physical geography and the general conditions of the land of Egypt, for the time in question, as the mummies do to the unvarying characters of its living population.

The progress of research since Cuvier's time has supplied far more striking examples of the long duration of specific forms of life than those which are furnished by the mummified Ibises and Crocodiles of Egypt. A remarkable case is to be found in your own country, in the neighbourhood of the falls of Niagara. In the immediate vicinity of the whirlpool, and again upon Goat Island, in the superficial deposits which cover the surface of the rocky subsoil in those regions, there are found remains of animals in perfect preservation, and among them, shells belonging to exactly the same species as those which at present inhabit the still waters of Lake Erie. It is evident, from the structure of the country, that these animal remains were deposited in the beds in which they occur at a time when the lake extended over the region in which they are found. This involves the conclusion that they lived and died before the falls had cut their way back through the gorge of Niagara; and, indeed, it has been determined that, when these animals lived, the falls of Niagara must have been at least six miles further down the river than they are at present. Many computations have been made of the rate at which the falls are thus cutting their way back. Those computations have varied greatly, but I believe I am speaking within the bounds of prudence, if I assume that the falls of Niagara have not retreated at a greater pace than about a foot a year. Six miles, speaking roughly, are 30,000 feet; 30,000 feet, at a foot a year, gives 30,000 years; and thus we are fairly justified in concluding that no less a period than this has passed since the

shell-fish, whose remains are left in the beds to which I have referred, were living creatures.

But there is still stronger evidence of the long duration of certain types. I have already stated that, as we work our way through the great series of the Tertiary formations, we find many species of animals identical with those which live at the present day, diminishing in numbers, it is true, but still existing, in a certain proportion, in the oldest of the Tertiary rocks. Furthermore, when we examine the rocks of the Cretaceous epoch, we find the remains of some animals which the closest scrutiny cannot show to be, in any important respect, different from those which live at the present time. That is the case with one of the cretaceous lamp-shells (*Terebratula*), which has continued to exist unchanged, or with insignificant variations, down to the present day. Such is the case with the *Globigerinæ*, the skeletons of which, aggregated together, form a large proportion of our English chalk.

Those *Globigerinæ* can be traced down to the *Globigerinæ* which live at the surface of the present great oceans, and the remains of which, falling to the bottom of the sea, give rise to a chalky mud. Hence it must be admitted that certain existing species of animals show no distinct sign of modification, or transformation, in the course of a lapse of time as great as that which carries us back to the Cretaceous period; and which, whatever its absolute measure, is certainly vastly greater than thirty thousand years.

There are groups of species so closely allied together, that it needs the eye of a naturalist to distinguish them one from another. If we disregard the small differences which separate these forms, and consider all the species of such groups as modifications of one type, we shall find that, even among the higher animals, some types have had a marvellous duration. In the chalk, for example, there is found a fish belonging to the highest and the most differentiated group of osseous fishes, which goes by the name of *Beryx*. The remains of that fish are among the most beautiful and well-preserved of the fossils found in our English chalk. It can be studied anatomically, so far as the hard parts are concerned, almost as well as if it were a recent fish. But the genus *Beryx* is represented, at the present day, by very closely allied species which are living in the Pacific and Atlantic Oceans. We may go still farther back. I have already referred to the fact that the Carboniferous formations, in Europe and in America, contain the remains of scorpions in an admirable state of preservation, and that those scorpions are hardly distinguishable from such as now live. I do not mean to say that they are not different, but close scrutiny is needed in order to distinguish them from modern scorpions.

More than this. At the very bottom of the Silurian series, in beds which are by some authorities referred to the Cambrian formation, where the signs of life begin to fail us--even there, among the few and scanty animal remains which are discoverable, we find species of molluscous animals which are so closely allied to existing forms that, at one time, they were grouped under the same generic name. I refer to the well-known

Lingula of the *Lingula* flags, lately, in consequence of some slight differences, placed in the new genus *Lingulella*. Practically, it belongs to the same great generic group as the *Lingula*, which is to be found at the present day upon your own shores and those of many other parts of the world.

The same truth is exemplified if we turn to certain great periods of the earth's history--as, for example, the Mesozoic epoch. There are groups of reptiles, such as the *Ichthyosauria* and the *Plesiosauria*, which appear shortly after the commencement of this epoch, and they occur in vast numbers. They disappear with the chalk and, throughout the whole of the great series of Mesozoic rocks, they present no such modifications as can safely be considered evidence of progressive modification.

Facts of this kind are undoubtedly fatal to any form of the doctrine of evolution which postulates the supposition that there is an intrinsic necessity, on the part of animal forms which have once come into existence, to undergo continual modification; and they are as distinctly opposed to any view which involves the belief, that such modification may occur, must take place, at the same rate, in all the different types of animal or vegetable life. The facts, as I have placed them before you, obviously directly contradict any form of the hypothesis of evolution which stands in need of these two postulates.

But, one great service that has been rendered by Mr. Darwin to the doctrine of evolution in general is this: he has shown that there are two chief factors in the process of evolution: one of them is the tendency to vary, the existence of which in all living forms may be proved by observation; the other is the influence of surrounding conditions upon what I may call the parent form and the variations which are thus evolved from it. The cause of the production of variations is a matter not at all properly understood at present. Whether variation depends upon some intricate machinery--if I may use the phrase--of the living organism itself, or whether it arises through the influence of conditions upon that form, is not certain, and the question may, for the present, be left open. But the important point is that, granting the existence of the tendency to the production of variations; then, whether the variations which are produced shall survive and supplant the parent, or whether the parent form shall survive and supplant the variations, is a matter which depends entirely on those conditions which give rise to the struggle for existence. If the surrounding conditions are such that the parent form is more competent to deal with them, and flourish in them than the derived forms, then, in the struggle for existence, the parent form will maintain itself and the derived forms will be exterminated. But if, on the contrary, the conditions are such as to be more favourable to a derived than to the parent form, the parent form will be extirpated and the derived form will take its place. In the first case, there will be no progression, no change of structure, through any imaginable series of ages; in the second place there will be modification of change and form.

Thus the existence of these persistent types, as I have termed them, is no real obstacle in the way of the theory of evolution. Take the case of the scorpions to which I have just referred. No doubt, since the Carboniferous epoch, conditions have always obtained, such as existed when the scorpions of that epoch flourished; conditions in which scorpions find themselves better off, more competent to deal with the difficulties in their way, than any variation from the scorpion type which they may have produced; and, for that reason, the scorpion type has persisted, and has not been supplanted by any other form. And there is no reason, in the nature of things, why, as long as this world exists, if there be conditions more favourable to scorpions than to any variation which may arise from them, these forms of life should not persist.

Therefore, the stock objection to the hypothesis of evolution, based on the long duration of certain animal and vegetable types, is no objection at all. The facts of this character--and they are numerous--belong to that class of evidence which I have called indifferent. That is to say, they may afford no direct support to the doctrine of evolution, but they are capable of being interpreted in perfect consistency with it.

There is another order of facts belonging to the class of negative or indifferent evidence. The great group of Lizards, which abound in the present world, extends through the whole series of formations as far back as the Permian, or latest Palaeozoic, epoch. These Permian lizards differ astonishingly little from the lizards which exist at the present day. Comparing the amount of the differences between them and modern lizards, with the prodigious lapse of time between the Permian epoch and the present day, it may be said that the amount of change is insignificant. But, when we carry our researches farther back in time, we find no trace of lizards, nor of any true reptile whatever, in the whole mass of formations beneath the Permian.

Now, it is perfectly clear that if our palaeontological collections are to be taken, even approximately, as an adequate representation of all the forms of animals and plants that have ever lived; and if the record furnished by the known series of beds of stratified rock covers the whole series of events which constitute the history of life on the globe, such a fact as this directly contravenes the hypothesis of evolution; because this hypothesis postulates that the existence of every form must have been preceded by that of some form little different from it. Here, however, we have to take into consideration that important truth so well insisted upon by Lyell and by Darwin--the imperfection of the geological record. It can be demonstrated that the geological record must be incomplete, that it can only preserve remains found in certain favourable localities and under particular conditions; that it must be destroyed by processes of denudation, and obliterated by processes of metamorphosis. Beds of rock of any thickness crammed full of organic remains, may yet, either by the percolation of water through them, or by the influence of subterranean heat, lose all trace of these remains, and present the appearance of beds of

rock formed under conditions in which living forms were absent. Such metamorphic rocks occur in formations of all ages; and, in various cases, there are very good grounds for the belief that they have contained organic remains, and that those remains have been absolutely obliterated.

I insist upon the defects of the geological record the more because those who have not attended to these matters are apt to say, "It is all very well, but, when you get into a difficulty with your theory of evolution, you appeal to the incompleteness and the imperfection of the geological record;" and I want to make it perfectly clear to you that this imperfection is a great fact, which must be taken into account in all our speculations, or we shall constantly be going wrong.

You see the singular series of footmarks, drawn of its natural size in the large diagram hanging up here (Fig. 2), which I owe to the kindness of my friend Professor Marsh, with whom I had the opportunity recently of visiting the precise locality in Massachusetts in which these tracks occur. I am, therefore, able to give you my own testimony, if needed, that the diagram accurately represents what we saw. The valley of the Connecticut is classical ground for the geologist. It contains great beds of sandstone, covering many square miles, which have evidently formed a part of an ancient sea-shore, or, it may be, lake-shore. For a certain period of time after their deposition, these beds have remained sufficiently soft to receive the impressions of the feet of whatever animals walked over them, and to preserve them afterwards, in exactly the same way as such impressions are at this hour preserved on the shores of the Bay of Fundy and elsewhere. The diagram represents the track of some gigantic animal, which walked on its hind legs. You see the series of marks made alternately by the right and by the left foot; so that, from one impression to the other of the three-toed foot on the same side, is one stride, and that stride, as we measured it, is six feet nine inches. I leave you, therefore, to form an impression of the magnitude of the creature which, as it walked along the ancient shore, made these impressions.

Fig. 2.--Tracks of Brontozoum.

Of such impressions there are untold thousands upon these sandstones. Fifty or sixty different kinds have been discovered, and they cover vast areas. But, up to this present time, not a bone, not a fragment, of any one of the animals which left these great footmarks has been found; in fact, the only animal remains which have been met with in all these deposits, from the time of their discovery to the present day--though they have been carefully hunted over--is a fragmentary skeleton of one of the smaller forms. What has become of the bones of all these animals? You see we are not dealing with little creatures, but with animals that make a step of six feet nine inches; and their remains must have been left somewhere. The probability is, that they have been dissolved away, and completely lost.

I have had occasion to work out the nature of fossil remains, of

which there was nothing left except casts of the bones, the solid material of the skeleton having been dissolved out by percolating water. It was a chance, in this case, that the sandstone happened to be of such a constitution as to set, and to allow the bones to be afterward dissolved out, leaving cavities of the exact shape of the bones. Had that constitution been other than what it was, the bones would have been dissolved, the layers of sandstone would have fallen together into one mass, and not the slightest indication that the animal had existed would have been discoverable.

I know of no more striking evidence than these facts afford, of the caution which should be used in drawing the conclusion, from the absence of organic remains in a deposit, that animals or plants did not exist at the time it was formed. I believe that, with a right understanding of the doctrine of evolution on the one hand, and a just estimation of the importance of the imperfection of the geological record on the other, all difficulty is removed from the kind of evidence to which I have adverted; and that we are justified in believing that all such cases are examples of what I have designated negative or indifferent evidence--that is to say, they in no way directly advance the hypothesis of evolution, but they are not to be regarded as obstacles in the way of our belief in that doctrine.

I now pass on to the consideration of those cases which, for reasons which I will point out to you by and by, are not to be regarded as demonstrative of the truth of evolution, but which are such as must exist if evolution be true, and which therefore are, upon the whole, evidence in favour of the doctrine. If the doctrine of evolution be true, it follows, that, however diverse the different groups of animals and of plants may be, they must all, at one time or other, have been connected by gradational forms; so that, from the highest animals, whatever they may be, down to the lowest speck of protoplasmic matter in which life can be manifested, a series of gradations, leading from one end of the series to the other, either exists or has existed. Undoubtedly that is a necessary postulate of the doctrine of evolution. But when we look upon living Nature as it is, we find a totally different state of things. We find that animals and plants fall into groups, the different members of which are pretty closely allied together, but which are separated by definite, larger or smaller, breaks, from other groups. In other words, no intermediate forms which bridge over these gaps or intervals are, at present, to be met with.

To illustrate what I mean: Let me call your attention to those vertebrate animals which are most familiar to you, such as mammals, birds, and reptiles. At the present day, these groups of animals are perfectly well-defined from one another. We know of no animal now living which, in any sense, is intermediate between the mammal and the bird, or between the bird and the reptile; but, on the contrary, there are many very distinct anatomical peculiarities, well-defined marks, by which the mammal is separated from the bird, and the bird from the reptile. The distinctions are obvious and striking if you compare the definitions of these great groups as they now exist.

The same may be said of many of the subordinate groups, or orders, into which these great classes are divided. At the present time, for example, there are numerous forms of non-ruminant pachyderms, or what we may call broadly, the pig tribe, and many varieties of ruminants. These latter have their definite characteristics, and the former have their distinguishing peculiarities. But there is nothing that fills up the gap between the ruminants and the pig tribe. The two are distinct. Such also is the case in respect of the minor groups of the class of reptiles. The existing fauna shows us crocodiles, lizards, snakes, and tortoises; but no connecting link between the crocodile and lizard, nor between the lizard and snake, nor between the snake and the crocodile, nor between any two of these groups. They are separated by absolute breaks. If, then, it could be shown that this state of things had always existed, the fact would be fatal to the doctrine of evolution. If the intermediate gradations, which the doctrine of evolution requires to have existed between these groups, are not to be found anywhere in the records of the past history of the globe, their absence is a strong and weighty negative argument against evolution; while, on the other hand, if such intermediate forms are to be found, that is so much to the good of evolution; although, for reasons which I will lay before you by and by, we must be cautious in our estimate of the evidential cogency of facts of this kind.

It is a very remarkable circumstance that, from the commencement of the serious study of fossil remains, in fact, from the time when Cuvier began his brilliant researches upon those found in the quarries of Montmartre, palaeontology has shown what she was going to do in this matter, and what kind of evidence it lay in her power to produce.

I said just now that, in the existing Fauna, the group of pig-like animals and the group of ruminants are entirely distinct; but one of the first of Cuvier's discoveries was an animal which he called the *Anoplotherium*, and which proved to be, in a great many important respects, intermediate in character between the pigs, on the one hand, and the ruminants on the other. Thus, research into the history of the past did, to a certain extent, tend to fill up the breach between the group of ruminants and the group of pigs. Another remarkable animal restored by the great French palaeontologist, the *Palaeotherium*, similarly tended to connect together animals to all appearance so different as the rhinoceros, the horse, and the tapir. Subsequent research has brought to light multitudes of facts of the same order; and at the present day, the investigations of such anatomists as Rutimeyer and Gaudry have tended to fill up, more and more, the gaps in our existing series of mammals, and to connect groups formerly thought to be distinct.

But I think it may have an especial interest if, instead of dealing with these examples, which would require a great deal of tedious osteological detail, I take the case of birds and reptiles; groups which, at the present day, are so clearly distinguished from one another that there are perhaps no classes of animals which, in popular apprehension, are more completely

separated. Existing birds, as you are aware, are covered with feathers; their anterior extremities, specially and peculiarly modified, are converted into wings by the aid of which most of them are able to fly; they walk upright upon two legs; and these limbs, when they are considered anatomically, present a great number of exceedingly remarkable peculiarities, to which I may have occasion to advert incidentally as I go on, and which are not met with, even approximately, in any existing forms of reptiles. On the other hand, existing reptiles have no feathers. They may have naked skins, or be covered with horny scales, or bony plates, or with both. They possess no wings; they neither fly by means of their fore-limbs, nor habitually walk upright upon their hind-limbs; and the bones of their legs present no such modifications as we find in birds. It is impossible to imagine any two groups more definitely and distinctly separated, notwithstanding certain characters which they possess in common.

As we trace the history of birds back in time, we find their remains, sometimes in great abundance, throughout the whole extent of the tertiary rocks; but, so far as our present knowledge goes, the birds of the tertiary rocks retain the same essential characters as the birds of the present day. In other words, the tertiary birds come within the definition of the class constituted by existing birds, and are as much separated from reptiles as existing birds are. Not very long ago no remains of birds had been found below the tertiary rocks, and I am not sure but that some persons were prepared to demonstrate that they could not have existed at an earlier period. But, in the course of the last few years, such remains have been discovered in England; though, unfortunately, in so imperfect and fragmentary a condition, that it is impossible to say whether they differed from existing birds in any essential character or not. In your country the development of the cretaceous series of rocks is enormous; the conditions under which the later cretaceous strata have been deposited are highly favourable to the preservation of organic remains; and the researches, full of labour and risk, which have been carried on by Professor Marsh in these cretaceous rocks of Western America, have rewarded him with the discovery of forms of birds of which we had hitherto no conception. By his kindness, I am enabled to place before you a restoration of one of these extraordinary birds, every part of which can be thoroughly justified by the more or less complete skeletons, in a very perfect state of preservation, which he has discovered. This *Hesperornis* (Fig. 3), which measured between five and six feet in length, is astonishingly like our existing divers or grebes in a great many respects; so like them indeed that, had the skeleton of *Hesperornis* been found in a museum without its skull, it probably would have been placed in the same group of birds as the divers and grebes of the present day.¹ But *Hesperornis* differs from all existing birds, and so far resembles reptiles, in one important particular--it is provided with teeth. The long jaws are armed with teeth which have curved crowns and thick roots (Fig. 4), and are not set in distinct sockets, but are lodged in a groove. In possessing true teeth, the *Hesperornis* differs from every existing bird, and from every bird yet discovered in the tertiary formations, the tooth-like serrations of the jaws in the *Odontopteryx*

of the London clay being mere processes of the bony substance of the jaws, and not teeth in the proper sense of the word. In view of the characteristics of this bird we are therefore obliged to modify the definitions of the classes of birds and reptiles. Before the discovery of *Hesperornis*, the definition of the class Aves based upon our knowledge of existing birds might have been extended to all birds; it might have been said that the absence of teeth was characteristic of the class of birds; but the discovery of an animal which, in every part of its skeleton, closely agrees with existing birds, and yet possesses teeth, shows that there were ancient birds which, in respect of possessing teeth, approached reptiles more nearly than any existing bird does, and, to that extent, diminishes the *hiatus* between the two classes.

Fig. 3--*Hesperornis regalis* (Marsh)

Fig. 4--*Hesperornis regalis* (Marsh)
(Side and upper views of half the lower jaw; side and end views of a vertebra and a separate tooth.)

The same formation has yielded another bird, *Ichthyornis* (Fig. 5), which also possesses teeth; but the teeth are situated in distinct sockets, while those of *Hesperornis* are not so lodged. The latter also has such very small, almost rudimentary wings, that it must have been chiefly a swimmer and a diver like a Penguin; while *Ichthyornis* has strong wings and no doubt possessed corresponding powers of flight. *Ichthyornis* also differed in the fact that its vertebrae have not the peculiar characters of the vertebrae of existing and of all known tertiary birds, but were concave at each end. This discovery leads us to make a further modification in the definition of the group of birds, and to part with another of the characters by which almost all existing birds are distinguished from reptiles.

Figure. 5--*Ichthyornis Dispar* (Marsh).
Side and upper views of half the lower jaw; and side and end views of a vertebra.)

Apart from the few fragmentary remains from the English greensand, to which I have referred, the Mesozoic rocks, older than those in which *Hesperornis* and *Ichthyornis* have been discovered, have afforded no certain evidence of birds, with the remarkable exception of the Solenhofen slates. These so-called slates are composed of a fine grained calcareous mud which has hardened into lithographic stone, and in which organic remains are almost as well preserved as they would be if they had been imbedded in so much plaster of Paris. They have yielded the *Archaeopteryx*, the existence of which was first made known by the finding of a fossil feather, or rather of the impression of one. It is wonderful enough that such a perishable thing as a feather, and nothing more, should be discovered; yet, for a long time, nothing was known of this bird

except its feather. But by and by a solitary skeleton was discovered which is now in the British Museum. The skull of this solitary specimen is unfortunately wanting, and it is therefore uncertain whether the *Archaeopteryx* possessed teeth or not. But the remainder of the skeleton is so well preserved as to leave no doubt respecting the main features of the animal, which are very singular. The feet are not only altogether bird-like, but have the special characters of the feet of perching birds, while the body had a clothing of true feathers. Nevertheless, in some other respects, *Archaeopteryx* is unlike a bird and like a reptile. There is a long tail composed of many vertebrae. The structure of the wing differs in some very remarkable respects from that which it presents in a true bird. In the latter, the end of the wing answers to the thumb and two fingers of my hand; but the metacarpal bones, or those which answer to the bones of the fingers which lie in the palm of the hand, are fused together into one mass; and the whole apparatus, except the last joints of the thumb, is bound up in a sheath of integument, while the edge of the hand carries the principal quill-feathers. In the *Archaeopteryx*, the upper-arm bone is like that of a bird; and the two bones of the forearm are more or less like those of a bird, but the fingers are not bound together--they are free. What their number may have been is uncertain; but several, if not all, of them were terminated by strong curved claws, not like such as are sometimes found in birds, but such as reptiles possess; so that, in the *Archaeopteryx*, we have an animal which, to a certain extent, occupies a midway place between a bird and a reptile. It is a bird so far as its foot and sundry other parts of its skeleton are concerned; it is essentially and thoroughly a bird by its feathers; but it is much more properly a reptile in the fact that the region which represents the hand has separate bones, with claws resembling those which terminate the forelimb of a reptile. Moreover, it has a long reptile-like tail with a fringe of feathers on each side; while, in all true birds hitherto known, the tail is relatively short, and the vertebrae which constitute its skeleton are generally peculiarly modified.

Like the *Anoplotherium* and the *Palaeotherium*, therefore, *Archaeopteryx* tends to fill up the interval between groups which, in the existing world, are widely separated, and to destroy the value of the definitions of zoological groups based upon our knowledge of existing forms. And such cases as these constitute evidence in favour of evolution, in so far as they prove that, in former periods of the world's history, there were animals which overstepped the bounds of existing groups, and tended to merge them into larger assemblages. They show that animal organisation is more flexible than our knowledge of recent forms might have led us to believe; and that many structural permutations and combinations, of which the present world gives us no indication, may nevertheless have existed.

But it by no means follows, because the *Palaeotherium* has much in common with the horse, on the one hand, and with the rhinoceros on the other, that it is the intermediate form through which rhinoceroses have passed to become horses, or *vice versa*; on the contrary, any such supposition would

certainly be erroneous. Nor do I think it likely that the transition from the reptile to the bird has been effected by such a form as *Archaeopteryx*. And it is convenient to distinguish these intermediate forms between two groups, which do not represent the actual passage from the one group to the other, as *intercalary* types, from those *linear* types which, more or less approximately, indicate the nature of the steps by which the transition from one group to the other was effected.

I conceive that such linear forms, constituting a series of natural gradations between the reptile and the bird, and enabling us to understand the manner in which the reptilian has been metamorphosed into the bird type, are really to be found among a group of ancient and extinct terrestrial reptiles known as the *Ornithoscelida*. The remains of these animals occur throughout the series of mesozoic formations, from the Trias to the Chalk, and there are indications of their existence even in the later Palaeozoic strata.

Most of these reptiles, at present known, are of great size, some having attained a length of forty feet or perhaps more. The majority resembled lizards and crocodiles in their general form, and many of them were, like crocodiles, protected by an armour of heavy bony plates. But, in others, the hind limbs elongate and the fore limbs shorten, until their relative proportions approach those which are observed in the short-winged, flightless, ostrich tribe among birds.

The skull is relatively light, and in some cases the jaws, though bearing teeth, are beak-like at their extremities and appear to have been enveloped in a horny sheath. In the part of the vertebral column which lies between the haunch bones and is called the sacrum, a number of vertebrae may unite together into one whole, and in this respect, as in some details of its structure, the sacrum of these reptiles approaches that of birds.

But it is in the structure of the pelvis and of the hind limb that some of these ancient reptiles present the most remarkable approximation to birds, and clearly indicate the way by which the most specialised and characteristic features of the bird may have been evolved from the corresponding parts of the reptile.

In Fig. 6, the pelvis and hind limbs of a crocodile, a three-toed bird, and an ornithoscelidan are represented side by side; and, for facility of comparison, in corresponding positions; but it must be recollected that, while the position of the bird's limb is natural, that of the crocodile is not so. In the bird, the thigh bone lies close to the body, and the metatarsal bones of the foot (ii., iii., iv., Fig. 6) are, ordinarily, raised into a more or less vertical position; in the crocodile, the thigh bone stands out at an angle from the body, and the metatarsal bones (i., ii., iii., iv., Fig. 6) lie flat on the ground. Hence, in the crocodile, the body usually lies squat between the legs, while, in the bird, it is raised upon the hind legs, as upon pillars.

In the crocodile, the pelvis is obviously composed of three bones on each side: the ilium (*Il.*), the pubis (*Pb.*), and the ischium (*Is.*). In the adult bird there appears to be but one bone on each side. The examination of the pelvis of a chick, however, shows that each half is made up of three bones, which answer to those which remain distinct throughout life in the crocodile. There is, therefore, a fundamental identity of plan in the construction of the pelvis of both bird and reptile; though the difference in form, relative size, and direction of the corresponding bones in the two cases are very great.

But the most striking contrast between the two lies in the bones of the leg and of that part of the foot termed the tarsus, which follows upon the leg. In the crocodile, the fibula (*F.*) is relatively large and its lower end is complete. The tibia (*T.*) has no marked crest at its upper end, and its lower end is narrow and not pulley-shaped. There are two rows of separate tarsal bones (*As.*, *Ca.*, &c.) and four distinct metatarsal bones, with a rudiment of a fifth.

In the bird, the fibula is small and its lower end diminishes to a point. The tibia has a strong crest at its upper end and its lower extremity passes into a broad pulley. There seem at first to be no tarsal bones; and only one bone, divided at the end into three heads for the three toes which are attached to it, appears in the place of the metatarsus.

In the young bird, however, the pulley-shaped apparent end of the tibia is a distinct bone, which represents the bones marked *As.*, *Ca.*, in the crocodile; while the apparently single metatarsal bone consists of three bones, which early unite with one another and with an additional bone, which represents the lower row of bones in the tarsus of the crocodile.

In other words, it can be shown by the study of development that the bird's pelvis and hind limb are simply extreme modifications of the same fundamental plan as that upon which these parts are modelled in reptiles.

On comparing the pelvis and hind limb of the ornithoscelidan with that of the crocodile, on the one side, and that of the bird, on the other (Fig. 6), it is obvious that it represents a middle term between the two. The pelvic bones approach the form of those of the birds, and the direction of the pubis and ischium is nearly that which is characteristic of birds; the thigh bone, from the direction of its head, must have lain close to the body; the tibia has a great crest; and, immovably fitted on to its lower end, there is a pulley-shaped bone, like that of the bird, but remaining distinct. The lower end of the fibula is much more slender, proportionally, than in the crocodile. The metatarsal bones have such a form that they fit together immovably, though they do not enter into bony union; the third toe is, as in the bird, longest and strongest. In fact, the ornithoscelidan limb is comparable to that of an unhatched chick.

Fig. 6.--Bird. Ornithoscelidan. Crocodile.

The letters have the same signification in all the figures.

<i>ll.</i> Ilium; <i>a.</i> anterior end; <i>b.</i> posterior end; <i>la.</i> ischium; <i>Pb.</i> pubis; <i>T,</i> tibia; <i>F,</i> fibula; <i>As.</i> astragalus; <i>Ca.</i> calcaneum; l, distal portion of the tarsus; i., ii., iii., iv., metatarsal bones.

Taking all these facts together, it is obvious that the view, which was entertained by Mantell and the probability of which was demonstrated by your own distinguished anatomist, Leidy, while much additional evidence in the same direction has been furnished by Professor Cope, that some of these animals may have walked upon their hind legs as birds do, acquires great weight. In fact, there can be no reasonable doubt that one of the smaller forms of the <i>Ornithoscelida, Compsognathus,</i> the almost entire skeleton of which has been discovered in the Solenhofen slates, was a bipedal animal. The parts of this skeleton are somewhat twisted out of their natural relations, but the accompanying figure gives a just view of the general form of <i>Compsognathus</i> and of the proportions of its limbs; which, in some respects, are more completely bird-like than those of other <i>Ornithoscelida.</i>

Fig. 7.--Restoration of *Compsognathus Longipes*

We have had to stretch the definition of the class of birds so as to include birds with teeth and birds with paw-like fore limbs and long tails. There is no evidence that <i>Compsognathus</i> possessed feathers; but, if it did, it would be hard indeed to say whether it should be called a reptilian bird or an avian reptile.

As <i>Compsognathus</i> walked upon its hind legs, it must have made tracks like those of birds. And as the structure of the limbs of several of the gigantic <i>Ornithoscelida,</i> such as <i>Iguanodon,</i> leads to the conclusion that they also may have constantly, or occasionally, assumed the same attitude, a peculiar interest attaches to the fact that, in the Wealden strata of England, there are to be found gigantic footsteps, arranged in order like those of the <i>Brontozoum,</i> and which there can be no reasonable doubt were made by some of the <i>Ornithoscelida,</i> the remains of which are found in the same rocks. And, knowing that reptiles that walked upon their hind legs and shared many of the anatomical characters of birds did once exist, it becomes a very important question whether the tracks in the Trias of Massachusetts, to which I referred some time ago, and which formerly used to be unhesitatingly ascribed to birds, may not all have been made by ornithoscelidan reptiles; and whether, if we could obtain the skeletons of the animals which made these tracks, we should not find in them the actual steps of the evolutionary process by which reptiles gave rise to birds.

The evidential value of the facts I have brought forward in this

Lecture must be neither over nor under estimated. It is not historical proof of the occurrence of the evolution of birds from reptiles, for we have no safe ground for assuming that true birds had not made their appearance at the commencement of the Mesozoic epoch. It is, in fact, quite possible that all these more or less avi-form reptiles of the Mesozoic epochs are not terms in the series of progression from birds to reptiles at all, but simply the more or less modified descendants of Palaeozoic forms through which that transition was actually effected.

We are not in a position to say that the known *Ornithoscelida* are intermediate in the order of their appearance on the earth between reptiles and birds. All that can be said is that, if independent evidence of the actual occurrence of evolution is producible, then these intercalary forms remove every difficulty in the way of understanding what the actual steps of the process, in the case of birds, may have been.

That intercalary forms should have existed in ancient times is a necessary consequence of the truth of the hypothesis of evolution; and, hence, the evidence I have laid before you in proof of the existence of such forms, is, so far as it goes, in favour of that hypothesis.

There is another series of extinct reptiles which may be said to be intercalary between reptiles and birds, in so far as they combine some of the characters of both these groups; and which, as they possessed the power of flight, may seem, at first sight, to be nearer representatives of the forms by which the transition from the reptile to the bird was effected, than the *Ornithoscelida*.

These are the *Pterosauria*, or Pterodactyles, the remains of which are met with throughout the series of Mesozoic rocks, from the lias to the chalk, and some of which attained a great size, their wings having a span of eighteen or twenty feet. These animals, in the form and proportions of the head and neck relatively to the body, and in the fact that the ends of the jaws were often, if not always, more or less extensively ensheathed in horny beaks, remind us of birds. Moreover, their bones contained air cavities, rendering them specifically lighter, as is the case in most birds. The breast bone was large and keeled, as in most birds and in bats, and the shoulder girdle is strikingly similar to that of ordinary birds. But, it seems to me, that the special resemblance of pterodactyles to birds ends here, unless I may add the entire absence of teeth which characterises the great pterodactyles (*Pteranodon*) discovered by Professor Marsh. All other known pterodactyles have teeth lodged in sockets. In the vertebral column and the hind limbs there are no special resemblances to birds, and when we turn to the wings they are found to be constructed on a totally different principle from those of birds.

Fig. 8.--Pterodactylus Spectabilis (Von Meyer).

There are four fingers. These four fingers are large, and three of them, those which answer to the thumb and two following fingers in my hand--are terminated by claws, while the fourth is enormously prolonged and converted into a great jointed style. You see at once, from what I have stated about a bird's wing, that there could be nothing less like a bird's wing than this is. It was concluded by general reasoning that this finger had the office of supporting a web which extended between it and the body. An existing specimen proves that such was really the case, and that the pterodactyles were devoid of feathers, but that the fingers supported a vast web like that of a bat's wing; in fact, there can be no doubt that this ancient reptile flew after the fashion of a bat.

Thus, though the pterodactyle is a reptile which has become modified in such a manner as to enable it to fly, and therefore, as might be expected, presents some points of resemblance to other animals which fly; it has, so to speak, gone off the line which leads directly from reptiles to birds, and has become disqualified for the changes which lead to the characteristic organisation of the latter class. Therefore, viewed in relation to the classes of reptiles and birds, the pterodactyles appear to me to be, in a limited sense, intercalary forms; but they are not even approximately linear, in the sense of exemplifying those modifications of structure through which the passage from the reptile to the bird took place.

LECTURES ON EVOLUTION

III

THE DEMONSTRATIVE EVIDENCE OF EVOLUTION

The occurrence of historical facts is said to be demonstrated, when the evidence that they happened is of such a character as to render the assumption that they did not happen in the highest degree improbable; and the question I now have to deal with is, whether evidence in favour of the evolution of animals of this degree of cogency is, or is not, obtainable from the record of the succession of living forms which is presented to us by fossil remains.

Those who have attended to the progress of palaeontology are aware that evidence of the character which I have defined has been produced in considerable and continually-increasing quantity during the last few years. Indeed, the amount and the satisfactory nature of that evidence are somewhat surprising, when we consider the conditions under which alone we can hope to obtain it.

It is obviously useless to seek for such evidence except in localities in which the physical conditions have been such as to permit of the deposit of an unbroken, or but rarely interrupted, series of strata through a long period of time; in which the group of animals to be investigated has existed in such

abundance as to furnish the requisite supply of remains; and in which, finally, the materials composing the strata are such as to ensure the preservation of these remains in a tolerably perfect and undisturbed state.

It so happens that the case which, at present, most nearly fulfils all these conditions is that of the series of extinct animals which culminates in the horses; by which term I mean to denote not merely the domestic animals with which we are all so well acquainted, but their allies, the ass, zebra, quagga, and the like. In short, I use "horses" as the equivalent of the technical name *Equidae*, which is applied to the whole group of existing equine animals.

The horse is in many ways a remarkable animal; not least so in the fact that it presents us with an example of one of the most perfect pieces of machinery in the living world. In truth, among the works of human ingenuity it cannot be said that there is any locomotive so perfectly adapted to its purposes, doing so much work with so small a quantity of fuel, as this machine of nature's manufacture--the horse. And, as a necessary consequence of any sort of perfection, of mechanical perfection as of others, you find that the horse is a beautiful creature, one of the most beautiful of all land-animals. Look at the perfect balance of its form, and the rhythm and force of its action. The locomotive machinery is, as you are aware, resident in its slender fore and hind limbs; they are flexible and elastic levers, capable of being moved by very powerful muscles; and, in order to supply the engines which work these levers with the force which they expend, the horse is provided with a very perfect apparatus for grinding its food and extracting therefrom the requisite fuel.

Without attempting to take you very far into the region of osteological detail, I must nevertheless trouble you with some statements respecting the anatomical structure of the horse; and, more especially, will it be needful to obtain a general conception of the structure of its fore and hind limbs, and of its teeth. But I shall only touch upon those points which are absolutely essential to our inquiry.

Let us turn in the first place to the fore-limb. In most quadrupeds, as in ourselves, the fore-arm contains distinct bones called the radius and the ulna. The corresponding region in the horse seems at first to possess but one bone. Careful observation, however, enables us to distinguish in this bone a part which clearly answers to the upper end of the ulna. This is closely united with the chief mass of the bone which represents the radius, and runs out into a slender shaft which may be traced for some distance downwards upon the back of the radius, and then in most cases thins out and vanishes. It takes still more trouble to make sure of what is nevertheless the fact, that a small part of the lower end of the bone of the horse's fore arm, which is only distinct in a very young foal, is really the lower extremity of the ulna.

What is commonly called the knee of a horse is its wrist. The "cannon bone" answers to the middle bone of the five

metacarpal bones, which support the palm of the hand in ourselves. The "pastern," "coronary," and "coffin" bones of veterinarians answer to the joints of our middle fingers, while the hoof is simply a greatly enlarged and thickened nail. But if what lies below the horse's "knee" thus corresponds to the middle finger in ourselves, what has become of the four other fingers or digits? We find in the places of the second and fourth digits only two slender splint-like bones, about two-thirds as long as the cannon bone, which gradually taper to their lower ends and bear no finger joints, or, as they are termed, phalanges. Sometimes, small bony or gristly nodules are to be found at the bases of these two metacarpal splints, and it is probable that these represent rudiments of the first and fifth toes. Thus, the part of the horse's skeleton, which corresponds with that of the human hand, contains one overgrown middle digit, and at least two imperfect lateral digits; and these answer, respectively, to the third, the second, and the fourth fingers in man.

Corresponding modifications are found in the hind limb. In ourselves, and in most quadrupeds, the leg contains two distinct bones, a large bone, the tibia, and a smaller and more slender bone, the fibula. But, in the horse, the fibula seems, at first, to be reduced to its upper end; a short slender bone united with the tibia, and ending in a point below, occupying its place. Examination of the lower end of a young foal's shin bone, however, shows a distinct portion of osseous matter, which is the lower end of the fibula; so that the apparently single, lower end of the shin bone is really made up of the coalesced ends of the tibia and fibula, just as the, apparently single, lower end of the fore-arm bone is composed of the coalesced radius and ulna.

The heel of the horse is the part commonly known as the hock. The hinder cannon bone answers to the middle metatarsal bone of the human foot, the pastern, coronary, and coffin bones, to the middle toe bones; the hind hoof to the nail; as in the fore-foot. And, as in the fore-foot, there are merely two splints to represent the second and the fourth toes. Sometimes a rudiment of a fifth toe appears to be traceable.

The teeth of a horse are not less peculiar than its limbs. The living engine, like all others, must be well stoked if it is to do its work; and the horse, if it is to make good its wear and tear, and to exert the enormous amount of force required for its propulsion, must be well and rapidly fed. To this end, good cutting instruments and powerful and lasting crushers are needful. Accordingly, the twelve cutting teeth of a horse are close-set and concentrated in the fore-part of its mouth, like so many adzes or chisels. The grinders or molars are large, and have an extremely complicated structure, being composed of a number of different substances of unequal hardness. The consequence of this is that they wear away at different rates; and, hence, the surface of each grinder is always as uneven as that of a good millstone.

I have said that the structure of the grinding teeth is very complicated, the harder and the softer parts being, as it were,

interlaced with one another. The result of this is that, as the tooth wears, the crown presents a peculiar pattern, the nature of which is not very easily deciphered at first; but which it is important we should understand clearly. Each grinding tooth of the upper jaw has an *outer wall* so shaped that, on the worn crown, it exhibits the form of two crescents, one in front and one behind, with their concave sides turned outwards. From the inner side of the front crescent, a crescentic *front ridge* passes inwards and backwards, and its inner face enlarges into a strong longitudinal fold or *pillar*. From the front part of the hinder crescent, a *back ridge* takes a like direction, and also has its *pillar*.

The deep interspaces or *valleys* between these ridges and the outer wall are filled by bony substance, which is called *cement*, and coats the whole tooth.

The pattern of the worn face of each grinding tooth of the lower jaw is quite different. It appears to be formed of two crescent-shaped ridges, the convexities of which are turned outwards. The free extremity of each crescent has a *pillar*, and there is a large double *pillar* where the two crescents meet. The whole structure is, as it were, imbedded in cement, which fills up the valleys, as in the upper grinders.

If the grinding faces of an upper and of a lower molar of the same side are applied together, it will be seen that the opposed ridges are nowhere parallel, but that they frequently cross; and that thus, in the act of mastication, a hard surface in the one is constantly applied to a soft surface in the other, and *vice versa*. They thus constitute a grinding apparatus of great efficiency, and one which is repaired as fast as it wears, owing to the long-continued growth of the teeth.

Some other peculiarities of the dentition of the horse must be noticed, as they bear upon what I shall have to say by and by. Thus the crowns of the cutting teeth have a peculiar deep pit, which gives rise to the well-known "mark" of the horse. There is a large space between the outer incisors and the front grinder. In this space the adult male horse presents, near the incisors on each side, above and below, a canine or "tush," which is commonly absent in mares. In a young horse, moreover, there is not unfrequently to be seen in front of the first grinder, a very small tooth, which soon falls out. If this small tooth be counted as one, it will be found that there are seven teeth behind the canine on each side; namely, the small tooth in question, and the six great grinders, among which, by an unusual peculiarity, the foremost tooth is rather larger than those which follow it.

I have now enumerated those characteristic structures of the horse which are of most importance for the purpose we have in view.

To any one who is acquainted with the morphology of vertebrated animals, they show that the horse deviates widely from the general structure of mammals; and that the horse type is, in many respects, an extreme modification of the general mammalian

plan. The least modified mammals, in fact, have the radius and ulna, the tibia and fibula, distinct and separate. They have five distinct and complete digits on each foot, and no one of these digits is very much larger than the rest. Moreover, in the least modified mammals, the total number of the teeth is very generally forty-four, while in horses, the usual number is forty, and in the absence of the canines, it may be reduced to thirty-six; the incisor teeth are devoid of the fold seen in those of the horse: the grinders regularly diminish in size from the middle of the series to its front end; while their crowns are short, early attain their full length, and exhibit simple ridges or tubercles, in place of the complex foldings of the horse's grinders.

Hence the general principles of the hypothesis of evolution lead to the conclusion that the horse must have been derived from some quadruped which possessed five complete digits on each foot; which had the bones of the fore-arm and of the leg complete and separate; and which possessed forty-four teeth, among which the crowns of the incisors and grinders had a simple structure; while the latter gradually increased in size from before backwards, at any rate in the anterior part of the series, and had short crowns.

And if the horse has been thus evolved, and the remains of the different stages of its evolution have been preserved, they ought to present us with a series of forms in which the number of the digits becomes reduced; the bones of the fore-arm and leg gradually take on the equine condition; and the form and arrangement of the teeth successively approximate to those which obtain in existing horses.

Let us turn to the facts, and see how far they fulfil these requirements of the doctrine of evolution.

In Europe abundant remains of horses are found in the Quaternary and later Tertiary strata as far as the Pliocene formation. But these horses, which are so common in the cave-deposits and in the gravels of Europe, are in all essential respects like existing horses. And that is true of all the horses of the latter part of the Pliocene epoch. But, in deposits which belong to the earlier Pliocene and later Miocene epochs, and which occur in Britain, in France, in Germany, in Greece, in India, we find animals which are extremely like horses--which, in fact, are so similar to horses, that you may follow descriptions given in works upon the anatomy of the horse upon the skeletons of these animals--but which differ in some important particulars. For example, the structure of their fore and hind limbs is somewhat different. The bones which, in the horse, are represented by two splints, imperfect below, are as long as the middle metacarpal and metatarsal bones; and, attached to the extremity of each, is a digit with three joints of the same general character as those of the middle digit, only very much smaller. These small digits are so disposed that they could have had but very little functional importance, and they must have been rather of the nature of the dew-claws, such as are to be found in many ruminant animals. The *Hipparion*, as the extinct European three-toed horse is called, in fact, presents a

foot similar to that of the American *Protohippus* (Fig. 9), except that, in the *Hipparion*, the smaller digits are situated farther back, and are of smaller proportional size, than in the *Protohippus*.

The ulna is slightly more distinct than in the horse; and the whole length of it, as a very slender shaft, intimately united with the radius, is completely traceable. The fibula appears to be in the same condition as in the horse. The teeth of the *Hipparion* are essentially similar to those of the horse, but the pattern of the grinders is in some respects a little more complex, and there is a depression on the face of the skull in front of the orbit, which is not seen in existing horses.

In the earlier Miocene, and perhaps the later Eocene deposits of some parts of Europe, another extinct animal has been discovered, which Cuvier, who first described some fragments of it, considered to be a *Palaeotherium*. But as further discoveries threw new light upon its structure, it was recognised as a distinct genus, under the name of *Anchitherium*.

In its general characters, the skeleton of *Anchitherium* is very similar to that of the horse. In fact, Lartet and De Blainville called it *Palæotherium equinum* or *hippoides*; and De Christol, in 1847, said that it differed from *Hipparion* in little more than the characters of its teeth, and gave it the name of *Hipparitherium*. Each foot possesses three complete toes; while the lateral toes are much larger in proportion to the middle toe than in *Hipparion*, and doubtless rested on the ground in ordinary locomotion.

The ulna is complete and quite distinct from the radius, though firmly united with the latter. The fibula seems also to have been complete. Its lower end, though intimately united with that of the tibia, is clearly marked off from the latter bone.

There are forty-four teeth. The incisors have no strong pit. The canines seem to have been well developed in both sexes. The first of the seven grinders, which, as I have said, is frequently absent, and, when it does exist, is small in the horse, is a good-sized and permanent tooth, while the grinder which follows it is but little larger than the hinder ones. The crowns of the grinders are short, and though the fundamental pattern of the horse-tooth is discernible, the front and back ridges are less curved, the accessory pillars are wanting, and the valleys, much shallower, are not filled up with cement.

Seven years ago, when I happened to be looking critically into the bearing of palaeontological facts upon the doctrine of evolution, it appeared to me that the *Anchitherium*, the *Hipparion*, and the modern horses, constitute a series in which the modifications of structure coincide with the order of chronological occurrence, in the manner in which they must coincide, if the modern horses really are the result of the gradual metamorphosis, in the course of the Tertiary epoch, of a less specialised ancestral form. And I found by correspondence

with the late eminent French anatomist and palaeontologist, M. Lartet, that he had arrived at the same conclusion from the same data.

That the *Anchitherium* type had become metamorphosed into the *Hipparion* type, and the latter into the *Equine* type, in the course of that period of time which is represented by the latter half of the Tertiary deposits, seemed to me to be the only explanation of the facts for which there was even a shadow of probability.<3>

And, hence, I have ever since held that these facts afford evidence of the occurrence of evolution, which, in the sense already defined, may be termed demonstrative.

All who have occupied themselves with the structure of *Anchitherium*, from Cuvier onwards, have acknowledged its many points of likeness to a well-known genus of extinct Eocene mammals, *Palaeotherium*. Indeed, as we have seen, Cuvier regarded his remains of *Anchitherium* as those of a species of *Palaeotherium*. Hence, in attempting to trace the pedigree of the horse beyond the Miocene epoch and the Anchitheroid form, I naturally sought among the various species of Palaeotheroid animals for its nearest ally, and I was led to conclude that the *Palaeotherium minus* (*Plagiolophus*) represented the next step more nearly than any form then known.

I think that this opinion was fully justifiable; but the progress of investigation has thrown an unexpected light on the question, and has brought us much nearer than could have been anticipated to a knowledge of the true series of the progenitors of the horse.

You are all aware that, when your country was first discovered by Europeans, there were no traces of the existence of the horse in any part of the American Continent. The accounts of the conquest of Mexico dwell upon the astonishment of the natives of that country when they first became acquainted with that astounding phenomenon--a man seated upon a horse. Nevertheless, the investigations of American geologists have proved that the remains of horses occur in the most superficial deposits of both North and South America, just as they do in Europe. Therefore, for some reason or other--no feasible suggestion on that subject, so far as I know, has been made--the horse must have died out on this continent at some period preceding the discovery of America. Of late years there has been discovered in your Western Territories that marvellous accumulation of deposits, admirably adapted for the preservation of organic remains, to which I referred the other evening, and which furnishes us with a consecutive series of records of the fauna of the older half of the Tertiary epoch, for which we have no parallel in Europe. They have yielded fossils in an excellent state of conservation and in unexampled number and variety. The researches of Leidy and others have shown that forms allied to the *Hipparion* and the *Anchitherium* are to be found among these remains. But it is only recently that the admirably conceived and most thoroughly and patiently worked-out investigations of Professor Marsh have given us a just idea of

the vast fossil wealth, and of the scientific importance, of these deposits. I have had the advantage of glancing over the collections in Yale Museum; and I can truly say that, so far as my knowledge extends, there is no collection from any one region and series of strata comparable, for extent, or for the care with which the remains have been got together, or for their scientific importance, to the series of fossils which he has deposited there. This vast collection has yielded evidence bearing upon the question of the pedigree of the horse of the most striking character. It tends to show that we must look to America, rather than to Europe, for the original seat of the equine series; and that the archaic forms and successive modifications of the horse's ancestry are far better preserved here than in Europe.

Professor Marsh's kindness has enabled me to put before you a diagram, every figure in which is an actual representation of some specimen which is to be seen at Yale at this present time (Fig. 9).

Fig. 9.

The succession of forms which he has brought together carries us from the top to the bottom of the Tertiaries. Firstly, there is the true horse. Next we have the American Pliocene form of the horse (*Pliohippus*); in the conformation of its limbs it presents some very slight deviations from the ordinary horse, and the crowns of the grinding teeth are shorter. Then comes the *Protohippus*, which represents the European *Hipparion*, having one large digit and two small ones on each foot, and the general characters of the fore-arm and leg to which I have referred. But it is more valuable than the European *Hipparion* for the reason that it is devoid of some of the peculiarities of that form--peculiarities which tend to show that the European *Hipparion* is rather a member of a collateral branch, than a form in the direct line of succession. Next, in the backward order in time, is the *Miohippus*, which corresponds pretty nearly with the *Anchitherium* of Europe. It presents three complete toes--one large median and two smaller lateral ones; and there is a rudiment of that digit, which answers to the little finger of the human hand.

The European record of the pedigree of the horse stops here; in the American Tertiaries, on the contrary, the series of ancestral equine forms is continued into the Eocene formations. An older Miocene form, termed *Mesohippus*, has three toes in front, with a large splint-like rudiment representing the little finger; and three toes behind. The radius and ulna, the tibia and the fibula, are distinct, and the short crowned molar teeth are anchitherioid in pattern.

But the most important discovery of all is the *Orohippus*, which comes from the Eocene formation, and is the oldest member of the equine series, as yet known. Here we find four complete toes on the front limb, three toes on the hind limb, a well-developed ulna, a well-developed fibula, and short-crowned

grinders of simple pattern.

Thus, thanks to these important researches, it has become evident that, so far as our present knowledge extends, the history of the horse-type is exactly and precisely that which could have been predicted from a knowledge of the principles of evolution. And the knowledge we now possess justifies us completely in the anticipation, that when the still lower Eocene deposits, and those which belong to the Cretaceous epoch, have yielded up their remains of ancestral equine animals, we shall find, first, a form with four complete toes and a rudiment of the innermost or first digit in front, with, probably, a rudiment of the fifth digit in the hind foot; while, in still older forms, the series of the digits will be more and more complete, until we come to the five-toed animals, in which, if the doctrine of evolution is well founded, the whole series must have taken its origin.

That is what I mean by demonstrative evidence of evolution. An inductive hypothesis is said to be demonstrated when the facts are shown to be in entire accord with it. If that is not scientific proof, there are no merely inductive conclusions which can be said to be proved. And the doctrine of evolution, at the present time, rests upon exactly as secure a foundation as the Copernican theory of the motions of the heavenly bodies did at the time of its promulgation. Its logical basis is precisely of the same character--the coincidence of the observed facts with theoretical requirements.

The only way of escape, if it be a way of escape, from the conclusions which I have just indicated, is the supposition that all these different equine forms have been created separately at separate epochs of time; and, I repeat, that of such an hypothesis as this there neither is, nor can be, any scientific evidence; and, assuredly, so far as I know, there is none which is supported, or pretends to be supported, by evidence or authority of any other kind. I can but think that the time will come when such suggestions as these, such obvious attempts to escape the force of demonstration, will be put upon the same footing as the supposition made by some writers, who are I believe not completely extinct at present, that fossils are mere simulacra, are no indications of the former existence of the animals to which they seem to belong; but that they are either sports of nature, or special creations, intended--as I heard suggested the other day--to test our faith.

In fact, the whole evidence is in favour of evolution, and there is none against it. And I say this, although perfectly well aware of the seeming difficulties which have been built up upon what appears to the uninformed to be a solid foundation. I meet constantly with the argument that the doctrine of evolution cannot be well founded, because it requires the lapse of a very vast period of time; while the duration of life upon the earth thus implied is inconsistent with the conclusions arrived at by the astronomer and the physicist. I may venture to say that I am familiar with those conclusions, inasmuch as some years ago, when President of the Geological Society of London, I took the liberty of criticising them, and of showing in what respects, as

it appeared to me, they lacked complete and thorough demonstration. But, putting that point aside, suppose that, as the astronomers, or some of them, and some physical philosophers, tell us, it is impossible that life could have endured upon the earth for as long a period as is required by the doctrine of evolution--supposing that to be proved--I desire to be informed, what is the foundation for the statement that evolution does require so great a time? The biologist knows nothing whatever of the amount of time which may be required for the process of evolution. It is a matter of fact that the equine forms which I have described to you occur, in the order stated, in the Tertiary formations. But I have not the slightest means of guessing whether it took a million of years, or ten millions, or a hundred millions, or a thousand millions of years, to give rise to that series of changes. A biologist has no means of arriving at any conclusion as to the amount of time which may be needed for a certain quantity of organic change. He takes his time from the geologist. The geologist, considering the rate at which deposits are formed and the rate at which denudation goes on upon the surface of the earth, arrives at more or less justifiable conclusions as to the time which is required for the deposit of a certain thickness of rocks; and if he tells me that the Tertiary formations required 500,000,000 years for their deposit, I suppose he has good ground for what he says, and I take that as a measure of the duration of the evolution of the horse from the *Orohippus* up to its present condition. And, if he is right, undoubtedly evolution is a very slow process, and requires a great deal of time. But suppose, now, that an astronomer or a physicist--for instance, my friend Sir William Thomson--tells me that my geological authority is quite wrong; and that he has weighty evidence to show that life could not possibly have existed upon the surface of the earth 500,000,000 years ago, because the earth would have then been too hot to allow of life, my reply is: "That is not my affair; settle that with the geologist, and when you have come to an agreement among yourselves I will adopt your conclusion." We take our time from the geologists and physicists; and it is monstrous that, having taken our time from the physical philosopher's clock, the physical philosopher should turn round upon us, and say we are too fast or too slow. What we desire to know is, is it a fact that evolution took place? As to the amount of time which evolution may have occupied, we are in the hands of the physicist and the astronomer, whose business it is to deal with those questions.

I have now, ladies and gentlemen, arrived at the conclusion of the task which I set before myself when I undertook to deliver these lectures. My purpose has been, not to enable those among you who have paid no attention to these subjects before, to leave this room in a condition to decide upon the validity or the invalidity of the hypothesis of evolution; but I have desired to put before you the principles upon which all hypotheses respecting the history of Nature must be judged; and furthermore, to make apparent the nature of the evidence and the amount of cogency which is to be expected and may be obtained from it. To this end, I have not hesitated to regard you as genuine students and persons desirous of knowing the truth. I have not shrunk from taking you through long

discussions, that I fear may have sometimes tried your patience; and I have inflicted upon you details which were indispensable, but which may well have been wearisome. But I shall rejoice--I shall consider that I have done you the greatest service which it was in my power to do--if I have thus convinced you that the great question which we have been discussing is not one to be dealt with by rhetorical flourishes, or by loose and superficial talk; but that it requires the keen attention of the trained intellect and the patience of the accurate observer.

When I commenced this series of lectures, I did not think it necessary to preface them with a prologue, such as might be expected from a stranger and a foreigner; for during my brief stay in your country, I have found it very hard to believe that a stranger could be possessed of so many friends, and almost harder that a foreigner could express himself in your language in such a way as to be, to all appearance, so readily intelligible. So far as I can judge, that most intelligent, and perhaps, I may add, most singularly active and enterprising body, your press reporters, do not seem to have been deterred by my accent from giving the fullest account of everything that I happen to have said.

But the vessel in which I take my departure to-morrow morning is even now ready to slip her moorings; I awake from my delusion that I am other than a stranger and a foreigner. I am ready to go back to my place and country; but, before doing so, let me, by way of epilogue, tender to you my most hearty thanks for the kind and cordial reception which you have accorded to me; and let me thank you still more for that which is the greatest compliment which can be afforded to any person in my position--the continuous and undisturbed attention which you have bestowed upon the long argument which I have had the honour to lay before you.

FOOTNOTES

(1) The absence of any keel on the breast-bone and some other osteological peculiarities, observed by Professor Marsh, however, suggest that *Hesperornis* may be a modification of a less specialised group of birds than that to which these existing aquatic birds belong.

(2) A second specimen, discovered in 1877, and at present in the Berlin museum, shows an excellently preserved skull with teeth; and three digits, all terminated by claws, in the fore limb.
1893.

(3) I use the word "type" because it is highly probable that many forms of *Anchitherium*-like and *Hipparion*-like animals existed in the Miocene and Pliocene epochs, just as many species of the horse tribe exist now, and it is highly improbable that the particular species of *Anchitherium* or *Hipparion*, which happen to have been discovered, should be precisely those which have formed part of the direct line of the horse's pedigree.

(4) Since this lecture was delivered, Professor Marsh has discovered a new genus of equine mammals (*Eohippus*) from the lowest Eocene deposits of the West, which corresponds very nearly to this description.--*American Journal of Science*, November, 1876.

End of The Project Gutenberg Etext of Lectures on Evolution, by Huxley

Livros Grátis

(<http://www.livrosgratis.com.br>)

Milhares de Livros para Download:

[Baixar livros de Administração](#)

[Baixar livros de Agronomia](#)

[Baixar livros de Arquitetura](#)

[Baixar livros de Artes](#)

[Baixar livros de Astronomia](#)

[Baixar livros de Biologia Geral](#)

[Baixar livros de Ciência da Computação](#)

[Baixar livros de Ciência da Informação](#)

[Baixar livros de Ciência Política](#)

[Baixar livros de Ciências da Saúde](#)

[Baixar livros de Comunicação](#)

[Baixar livros do Conselho Nacional de Educação - CNE](#)

[Baixar livros de Defesa civil](#)

[Baixar livros de Direito](#)

[Baixar livros de Direitos humanos](#)

[Baixar livros de Economia](#)

[Baixar livros de Economia Doméstica](#)

[Baixar livros de Educação](#)

[Baixar livros de Educação - Trânsito](#)

[Baixar livros de Educação Física](#)

[Baixar livros de Engenharia Aeroespacial](#)

[Baixar livros de Farmácia](#)

[Baixar livros de Filosofia](#)

[Baixar livros de Física](#)

[Baixar livros de Geociências](#)

[Baixar livros de Geografia](#)

[Baixar livros de História](#)

[Baixar livros de Línguas](#)

[Baixar livros de Literatura](#)
[Baixar livros de Literatura de Cordel](#)
[Baixar livros de Literatura Infantil](#)
[Baixar livros de Matemática](#)
[Baixar livros de Medicina](#)
[Baixar livros de Medicina Veterinária](#)
[Baixar livros de Meio Ambiente](#)
[Baixar livros de Meteorologia](#)
[Baixar Monografias e TCC](#)
[Baixar livros Multidisciplinar](#)
[Baixar livros de Música](#)
[Baixar livros de Psicologia](#)
[Baixar livros de Química](#)
[Baixar livros de Saúde Coletiva](#)
[Baixar livros de Serviço Social](#)
[Baixar livros de Sociologia](#)
[Baixar livros de Teologia](#)
[Baixar livros de Trabalho](#)
[Baixar livros de Turismo](#)